

# The LENS (Low Energy Neurofeedback System): A Clinical Outcomes Study on One Hundred Patients at Stone Mountain Center, New York

## SUMMARY

*Introduction.* The Low Energy Neurofeedback System (LENS) developed by Dr. Len Ochs (2006a) uses feedback in the form of a radio frequency carrier wave, administered at a positive *offset* frequency from the person's own dominant EEG frequency. Although it is an unusual biofeedback procedure, the feedback being invisible and the subject passive, clinical evidence supports the efficacy of the LENS across a spectrum of conditions. Published research studies (Schoenberger, Shifflet, Esty, Ochs, & Matheis, 2001; Donaldson, Sella, & Mueller, 1998; Mueller, Donaldson, Nelson, & Layman, 2001) have shown the effectiveness of the LENS method with traumatic brain injury (TBI) and with fibromyalgia. No study to date has evaluated LENS treatment across the spectrum of disorders and with a significantly large sample. This study was devised to address these issues. The study hypotheses were that the LENS treatment would be effective in reducing both systematic symptom ratings and measurements of EEG amplitudes, and that the therapeutic effect would produce the most rapid improvements in early sessions of treatment.

*Method.* "Blinded" research associates selected the first 100 patients from approximately 300 case files that met the following inclusion criteria: the person had received at least 10 treatment sessions, completed an initial CNS questionnaire, and that session-by-session subjective symptom ratings (SSRF) had been obtained. Patients ranged from 6 to 80 years old, almost evenly divided between male and female, with a wide range of symptoms and comorbid DSM-IV diagnoses.

*Results.* Data were statistically analyzed for significance and correlational variables. Average symptom ratings across 15 major problem areas (e.g., anxiety, mood disturbance, attentional problems, fatigue, pain, sleep problems, etc.) showed significant improvements ( $p < .0001$ ) from beginning to end of treatment. After an average of only 20 treatments the mean average of patient symptom ratings (0–10) declined from 7.92 to 3.96, a 50% improvement. Equally significant was the drop in EEG amplitude at the highest amplitude electrode site (HAS;  $p < .0001$ ) as well as a lesser but still significant decrease at Cz ( $p < .002$ ). A final analysis of the average

symptom score with the HAS score showed them to be highly correlated. All hypotheses were confirmed.

*Conclusions.* LENS treatment appears to be very efficient and effective in rapidly reducing a wide range of symptoms. It particularly produces rapid improvements in the first five to six sessions. Recommendations for future research are provided.

# LENS: Scientific Articles and Clinical Studies

## Bibliographical references arranged by researcher

Following the discovery of the **LENS – Low Energy Neurofeedback System** – in the 1990s by Len Ochs PhD, almost thirty scientists have devoted their time to publishing in the written media their knowledge about this neurotherapy system.

In this article, I have arranged all the literature written to date (June 2017) about LENS and its predecessors – AVS and Flexyx – into alphabetical order by author: scientific articles, books, magazines, quotations, etc.

## Bibliographical quotations by author

**Brink, M.** (2012). *The Migraine Revolution*. Robina, QLD, Australia: Body Mind & Brain.>[More](#)

**Budzynski, T.H., Budzynski, H.K., Evans, J.R., and Abaranel, A.** (2009.) *Introduction to Quantitative EEG and Neurofeedback: Advanced Theory and Applications*. (295-308). Burlington, MA: Elsevier Academic Press.>[More](#)

**Cantor, D.S., Evans, J.R.** (2014). *Clinical Neurotherapy: Application of Techniques for Treatment*. New York, NY: Academic Press.>[More](#)

**Carter, J. L. and H. L. Russell** (1981). Changes in verbal performance of IQ discrepancy scores after left hemisphere EEG frequency control training. *American Journal of Clinical Biofeedback*, 4: 66-68.

**Carter, J. L. and H. L. Russell** (1984). Application of biofeedback relaxation procedures to handicapped children: Final report. Washington, DC, Bureau of Education for the Handicapped.>[More](#)

**Carter, J. L. and Russell, H. L.** (1993). "A pilot investigation of auditory and visual entrainment of brain wave activity in learning disabled boys." *Texas Researcher* 4: 65-73.>[More](#)

**Collura, T.F., Frederick, J.A.** (2016). *Handbook of Clinical QEEG and Neurofeedback*. New York, NY: Root-ledge>[More](#)

**Cripe, C.** (2007). Effective use of LENS unit as an adjunct to cognitive neurodevelopmental training. *Journal of Neurotherapy* 10(2-3), 79-87. >[More](#)

**deNiet, P.** (2011). The efficacy of LENS neurofeedback treatment for ADHD; (probably: a double-blind, randomized, placebo controlled study on adults with ADHD). – Publication will take place at the second half of 2011. The approval is to find at a protected site from the Academic Medical Hospital from the city of Maastricht in the Netherlands (azM)

**Donaldson, C.C.S., Nelson, D.V., et al.** (1998). Disinhibition in the gamma motorneuron circuitry: a neglected mechanism for understanding myofascial pain syndromes. *Applied Physiology & Biofeedback*, 23, 43-58.

**Donaldson, C.C.S., Sella, G.E., et al.** (1998). Fibromyalgia: a retrospective study of 252 consecutive referrals. *Canadian journal of Clinical Medicine*, 5(6), 116-127.

**Donaldson, C.C.S., Sella, G.E. & Mueller, H.H.** (1998). Fibromyalgia: a retrospective study of 252 consecutive referrals. *Canadian Journal of Clinical Medicine*, 5(6), 116-127.

**Donaldson, C.C.S., Sella, G.E., & Mueller, H.** (2001). The neural plasticity model of fibromyalgia: theory, assessment, & treatment. *Practical Pain Management*, Part One, May/June.

**Edmonds, W.A., Tenenbaum, G.** (2012). Case Studies in Applied Psychophysiology. Neurofeedback and Biofeedback Treatments for Advances in Human Performance. Chichester, West Sussex: Wiley-Blackwell. [>More](#)

**Esty, M.L.** (2007). Reflections on FMS treatment, research, and neurotherapy: cautionary tales. *Journal of Neurotherapy*, 10(2-3), 63-68. [>More](#)

**Evans, J. (Ed.)**. (2007). *Handbook of Neurofeedback: Dynamics and Clinical Applications*. Binghamton, NY: The Haworth Medical Press. [>More](#)

**Gillham, S., Wold, H., Bayer, Z., et al.** (2012). Low energy neurofeedback system (LENS) for stress, anxiety, and cognitive function: an exploratory study. *BMC Complementary and Alternative Medicine*, 12:1, 145. [>More](#)

**Hallowell, E.M., & Jensen, P.S.** (2010). *Superparenting for ADD*. New York, NY: Ballantine Books. 162-164.

**Hammond, D.C.** (2005). Neurofeedback to improve physical balance, incontinence, and swallowing. *Journal of Neurotherapy*, 9:1, 27-36. [>More](#)

**Hammond, D.C.**, Editor (2007). *LENS: the Low Energy Neurofeedback System*. Binghamton, NY: The Hawthorne Medical Press. [>More](#)

**Hammond, D.C.** (2007). Can LENS neurofeedback treat anosmia resulting from a head injury? *Journal of Neurotherapy*, 11(1), 57-62. [>More](#)

**Hammond, D.C.** (2008). Investigations in neuromodulation, neurofeedback and applied neuroscience. Clinical Corner. *Journal of Neurotherapy*. 11:3. [>More](#)

**Hammond, D.C.** (2010). LENS neurofeedback treatment of anger: preliminary reports. *Journal of Neurotherapy*, 14:2, 162-169. [>More](#)

**Hammond, D.C.** (2010). QEEG evaluation of the LENS treatment of TBI. *Journal of Neurotherapy*, 14:2, 170-177. [>More](#)

**Hammond, D.C.** (2011). What is neurofeedback: an update. *Journal of Neurotherapy*, 15:4, 305-336. [>More](#)

**Hammond, D.C.** (2011). LENS neurofeedback treatment with fetal alcohol spectrum disorder and neglect. *Journal of Neurotherapy*, 16:1, 47-52. [>More](#)

**Hammond, D.C.** (2012). Neurofeedback treatment of restless legs syndrome and periodic leg movements in sleep. *Journal of Neurotherapy*, 16:2, 155-163. [>More](#)

**Hammond, D.C. & Baehr, E.** (2009). Neurofeedback for the treatment of depression: current status of theoretical issues and clinical research.

**Hammond, D.C., Harper, S.H., O'Brien, J., & Dogris, N.** (2010). Advancements in the LENS treatment protocols. *Neuroconnections*, 20-23.

**Hammond, D.C., S. Stockdale, et al.** (2001). Adverse reactions and potential iatrogenic effects in neurofeedback training. *Journal of Neurotherapy* ,4(4), 57-69.>[More](#)

Hengameh M., Hamid R.M, and Marjan M. (2016). **Neurofeedback: A Comprehensive Review on System Design, Methodology and Clinical Applications.** *Basic Clinical Neuroscience*. 2016 Apr; 7(2): 143–158. >[Ver](#)

**Horowitz, S.** (2006). Biofeedback applications: a survey of clinical research. *Alternative and Complementary Therapies*,12:6, 275-281.>[More](#)

**Horowitz, S.** (2012). Neurofeedback therapy in clinical applications and for cognitive enhancement. *Alternative and Complementary Therapies*. 18(5), 242-247.>[More](#)

**Hunt Harper, S.** (2009). Low energy neurofeedback system treatment of an acquired brain injury due to sudden cardiac arrest. *Biofeedback*, 37:3, 100-103.>[More](#)

**Hutchison, M.** (1994). *Mega brain power: transform your life with mind machines and brain nutrients*. Hyperion.

**Journal of Neurotherapy** (2006). Two volume journal set devoted to the topic of the LENS. 10:2-3, 1-104.

**Kravitz, H.M., Esty, M.L., Katz, R.S., & Fawcett, J.** (2006). Treatment of fibromyalgia syndrome using low-intensity neurofeedback with the flexyx neurotherapy system: a randomized controlled clinical trial. *Journal of Neurotherapy*, 10(2-3), 41-58.>[More](#)

**Lanius, U., Milstein, S., & Ochs, L.** (2015, April). Integration of neurofeedback into the standard EMDR protocol for the treatment of PTSD and/or attachment disorders: Case studies. Presentation at the EMDR Canada Annual Conference, Vancouver, BC >[More](#)

**Larsen, S.** (2001). The use of flexyx treatment modality with patients with multiple brain and spinal cord injuries. *Future Health Winter Brain Conference*. Miami, FL.

**Larsen, S.** (2006). *The healing power of neurofeedback: The revolutionary LENS technique for restoring optimal brain function*. Rochester, VT: Healing Arts Press. >[More](#)

**Larsen, S.** (2009). The special applicability of the low energy neurofeedback system form of neurofeedback to traumatic brain injury: The Theory, *Biofeedback*, 37(3), 104-107. >[More](#)

**Larsen, S.** (2012). *The neurofeedback solution: How to treat autism, ADHD, anxiety, brain injury, stroke, PTSD and more*. Rochester, VT: Healing Arts Press. >[More](#)

**Larsen, S., Harrington, K., & Hicks, S.** (2006). The LENS (low energy neurofeedback system): A clinical outcomes study of one hundred patients at Stone Mountain Center, New York. *Journal of Neurotherapy*, 10(2-3), 69-78. >[More](#)

**Larsen, S., Larsen, R., Hammond, D.C., Sheppard, S., Ochs, L., Johnson, S., Adinaro, C., & Chapman, C.** (2006). The LENS neurofeedback with animals. *Journal of Neurotherapy*, 10(2-3), 89-104. >[More](#)

**Larsen, S., Larsen, R., et al.** (2004). The LENS with animals: preliminary observations. *International Society for Neuronal Regulation, National Conference*. Ft. Lauderdale.

**Larsen, S., & Sherlin, L.** (2013). Neurofeedback: an emerging technology for treating central nervous system dysregulation. *Psychiatric Clinics of North America*, 36:1, 1-*Complementary and Integrative Therapies for Psychiatric Disorders.*>[More](#)

**Marcus, L.** (2001). *EEG Amplitude and Variability Changes Following Low-Intensity Neurofeedback-Based Stimulation for Fibromyalgia*. Palo Alto, CA, Western Graduate School of Psychology (Doctoral dissertation, Ph. D).

**Miller, J.A.** (2013). *Breaking the bars: Sustainable recovery vs. incarceration*(unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).

**Miller, J.A.**(2013). *Neurotherapy as an adjunct therapy for addiction solutions: Neurological recovery model* (unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).

**Miller, J.A.** (2013). Neurotherapy for sustainable addiction recovery: An integrated model. *Paper presented at the annual ISNR International Society of Neurofeedback and Research Conference*, Dallas, TX.

**Miller, J.A.** (2014). *Low energy neurofeedback: A primary key to prescription medication dependence recovery* (unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).

**Miller, J.A.** (2014). *Neurotherapy for Autism Spectrum Disorder Children* (unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).

**Miller, J.A.** (2014). *LENS training for children with neurological dysfunction* (unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).



**Miller, J.A.** (2014). *Nine functions of the prefrontal cortex: LENS training – dysfunctional to functional* (unpublished paper – contact [redfeather7@earthlink.net](mailto:redfeather7@earthlink.net) for a copy).

**Mueller, H.H., Donaldson, C.C.S., et al.** (2001). Treatment of fibromyalgia incorporating EEG-driven stimulation: A clinical out-comes study. *Journal of Clinical Psychology*, 57(7): 933-952.>[More](#)

**Nelson, D.V., Bennett, R. M., Barkhuizen, A., Sexton, G.J., Jones, K.D., Esty, M.L., Ochs, L. and Donaldson, C.C.S.** (2010), Neurotherapy of Fibromyalgia? *Pain Medicine*, 11: 912–919.>[More](#)

**Nelson, D.V., Esty, M.L.** (2009). Neurotherapy for pain in veterans with trauma spectrum disorders. *Journal of Pain*, 10:4, Supplement, S18.>[More](#)

**Nelson, D.V., Esty, M.L.** (2012). Neurotherapy of traumatic brain injury/posttraumatic stress symptoms in OEF/OIF veterans. *Journal of Neuropsychiatry and Clinical Neurosciences*, 24:2, 237-240.>[More](#)

**Ochs, L.** (1993a). New light on lights, sound, and the brain. Megabrain Reports: *Journal of Clinical Psychology*. 57(7), 933-952.

**Ochs, L.** (1993b). New light on lights, sound, and the brain. Megabrain Reports: *Journal of Mind Technology* 2: 48-52.

**Ochs, L.** (1996). Thoughts about EEG-Driven stimulation after three years of its uses: Ramifications for concepts of pathology, recovery, and brain function. *Unpublished manuscript*.

**Ochs, L.** (2007a). Comment on the treatment of fibromyalgia syndrome using low-intensity neurofeedback with the flexyx neurotherapy system: A randomized controlled clinical trial, or how to go crazy over nearly nothing. *Journal of Neurotherapy*, 10(2-3): 59-61.>[More](#)

**Ochs, L.** (2007b). The low energy neurofeedback system (LENS): theory, background and introduction. *Journal of Neurotherapy*, 10(2-3): 5-37.>[More](#)

**Ochs, L.** (2007c). Comment on neurofeedback overtraining and the vulnerable patient. *Journal of Neurotherapy*, 11(3), 67-71.>[More](#)

**Ochs, L.** (2010a). Underlying treatment Issues in neurofeedback as exemplified by treatment of seizure disorders. *Journal of Neurotherapy*, Spring, 29-33.

**Ochs, L.** (2010b). Working with latent and actual seizures. *Journal of Neurotherapy*, Summer. 30-32.

**Ochs, L.** (2014). A look at today's LENS. *NeuroConnections*, Fall. (pending).

**Ochs, L. & Berman, M.** (1997). EDS: Background and operation. *EEG-driven pico-photic stimulation*. Walnut Creek, CA: Flexyx, LLC.

**Robbins, J.** (2008). Biology, Psychology, the Brain, and Quantum Physics: Neuroscience, Epigenetics, Energy Psychology, Quantum Physics, Eudaimonics, Buddhism, and the Brain. *Measuring the immeasurable: The scientific case for spirituality* (pp. 243-254). Boulder, CO: Sounds True.

**Robbins, J.** (updated 2013). *A symphony in the brain: The evolution of the new brain wave biofeedback*. New York, NY: Grove Press.>[More](#)

**Schoenberger, N.E., Shiflett, S.C., Esty, M.L., Ochs, L., & Matheis, R.J.** (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation. *Journal of Head Trauma Rehabilitation*, 16(3), 260-274.>[More](#)

**Stoler, D.R. & Hill, B.A.** (2013). *Coping with Concussion and Mild Traumatic Brain Injury*. New York, NY: Penguin Random House.

**St. Clair, M.** (2008). LENS Case Study: Traumatic Brain Injury From AVM (Arterial Venous Malformation). *Neuroconnections*, 7(29-30).

**White, Christine.** (2008). Restoring optimal brain function helps many health problems: ADD, autism, depression, fibromyalgia, anxiety, PTSD, learning disorders, strokes, Parkinson's disease, multiple sclerosis. *Townsend Letter, The Examiner of Alternative Medicine*, April 2008.>[More](#)

**Yasaman Zandi Mehran, Mohammad Firoozabadi, and Reza Rostami.** (2015). Improvement of Neurofeedback Therapy for Improved Attention Through Facilitation of Brain Activity Using Local Sinusoidal Extremely Low Frequency Magnetic Field Exposure. *Clin EEG Neurosci*, April 2015; vol. 46, 2: pp. 100-112., first published on June 16, 2014>[More](#)

**Zeinab Amirifalah, S. Mohammad P. Firoozabadi, and S. Ali Shafiei.** (2013). Local Exposure of Brain Central Areas to a Pulsed ELF Magnetic Field for a Purposeful Change in EEG. *Clin EEG Neurosci*, January 2013; vol. 44, 1: pp. 44-52.